Interglobal

YINCHUAN INTERGLOBAL CO. LTD.



















Product Catalog
2015/2016

YINCHUAN INTERGLOBAL CO., LTD. is one of the leading professional suppliers in furniture hardware in China. 'Yinchuan' means Silver River in Chinese, and expresses our core concept: to establish mutual prosperity, as business flow like a river always shining like silver.

We are mainly specialized in hardware furniture as slides, hinges, handles and accessories for the furniture industry. Our products are focused on quality and competitive prices. We sincere hope to establish business relationships with prospective customers.



Please contact us for more information,
we are ready to reply your enquiries!



Interglobal

Contents

HINGES 04

DRAWER SLIDES 07

DOOR OPENING OR CLOSING 10

FURNITURE LOCKS AND CASTERS 12

HANDLES 14

FURNITURE LEG FITTING 16

POWER CONECTOR 19

DOOR HANDLE 21

GRAB BARS 25



Hinges

Hydraulic buffering hinge





Cup: 35mm
Angle: 95º
Material: Nickel-plated steel
With damping and click.
Individually wrapped.
Included screws.

Inner box - 10 pcs
Master box - 100 pcs

Ref.	Heights
YIL0812	Low
YIL0813	High
YIL0814	Super high

Hydraulic buffering hinge - Stainless steel



Cup: 35mm
Angle: 95º
Material: Stainless Steel
With damping and click.
Individually wrapped.
The product **comes with stainless steel screws.**

Inner box - 10 pcs
Master box - 100 pcs

Ref.	Heights
YIL1151	Low
YIL1152	High
YIL1153	Super high

Hydraulic buffering hinge - One Way

Ref.	Heights
YIL2314	Low
YIL2315	High
YIL2316	Super high




Cup: 35mm
Angle: 95º
Material: Nickel-plated steel
With damping. Not removable shim.

Hydraulic buffering hinge - Slide On


Ref.	Heights
YIL3291	Low
YIL3292	High
YIL3293	Super high




Cup: 35mm
Angle: 95º
Material: Nickel-plated steel
With damping. Slide-on system.




Low



High





Super High



Open Door

Click System






Hinges Special Angles

Hydraulic buffering hinge - 165°

Cup: 35mm
Angle: 165°
Material: Nickel-plated steel
With damping and click.
Individually wrapped.
Included screws.

Inner box - 10 pcs
Master box - 100 pcs


Ref.	Heights
YIL1913	Low
YIL1914	High
YIL1915	Super high





Hydraulic buffering hinge - 45°

Cup: 35mm
Angle: 45°
Material: Nickel-plated steel
With damping and click.
Individually wrapped.
Included screws.






Ref: YIL1917
Inner box - 10 pcs
Master box - 100 pcs

Hydraulic buffering hinge - 90°

Cup: 35mm
Angle: 90°
Material: Nickel-plated steel
With damping and click.
Individually wrapped.
Included screws.





Ref: YIL1916
Inner box - 10 pcs
Master box - 100 pcs



Drawer Slide series

Soft Close Drawer Slide


Galvanized Steel - Width: 45mm - Full extension
Thickness: 1.0x1.0x1.2mm - Capacity: 45kg



Ref.	Lenght
YIL0837	300mm
YIL0838	350mm
YIL0839	400mm
YIL0840	450mm
YIL0841	500mm
YIL0842	550mm
YIL0843	600mm

Push to Open Drawer Slide

Galvanized Steel - Width: 45mm - Full extension
Thickness: 1.0x1.0x1.2mm - Capacity: 45kg



Ref.	Lenght
YIL0844	300mm
YIL0845	350mm
YIL0846	400mm
YIL0847	450mm
YIL0848	500mm
YIL0849	550mm
YIL0850	600mm

Light Drawer Slide

Galvanized Steel - Width: 35mm - Full extension
Thickness: 0.8x0.8x0.9mm - Capacity: 30kg



Ref.	Lenght
YIL3204	250mm
YIL2266	300mm
YIL2267	350mm
YIL2268	400mm
YIL2269	450mm
YIL2270	500mm
YIL2271	550mm
YIL2272	600mm

Common Drawer Slide

Galvanized Steel - Width: 45mm - Full extension
Thickness: 1.0x1.0x1.2mm - Capacity: 45kg



Ref.	Lenght
YIL2273	300mm
YIL2274	350mm
YIL2275	400mm
YIL2276	450mm
YIL2277	500mm
YIL2278	550mm
YIL2279	600mm

White Metal Drawer Slide

Painted Steel - Width: 22mm
Thickness: 0.8mm - Capacity: 20kg




Ref.	Lenght
YIL08441	250mm
YIL08442	300mm
YIL08443	350mm
YIL08444	400mm
YIL08445	450mm
YIL08446	500mm
YIL08447	550mm
YIL08448	600mm

Invisible Soft Closing Drawer Slide

Galvanized Steel
Thickness: 1.6mm
Capacity: 25kg







Screw for fixing:
AA 4 x 12 / 6,3 x 15

Ref.	Lenght
YIL1918	350mm
YIL1919	400mm
YIL1920	450mm
YIL1921	500mm
YIL1922	550mm

Drawer dimensions



Installation dimensions




Invisible Soft Closing and Push to Open Drawer Slide

Galvanized Steel
Thickness: 1.6mm
Capacity: 25kg




Installation dimensions:



Ref.	Lenght
YIL1923	400mm
YIL1924	450mm
YIL1925	500mm

Internal drawer




Ref.	L	A
400	410	400
450	460	450
500	510	500


A = drawer depth
L = lenght of the slide
B = internal mobile depth
K = mobile internal width
X = front thickness


Drawer dimensions:


With front drawer



Mobile internal dimensions:
With front drawer: B min. = L + 3mm
Internal drawer: B min. = L + X + 10mm
Drawer dimensions:
With front drawer: A = L - 10
Internal drawer: A = L - 10 + X
Screw for fixing:
Screw AA 4 x 12 / 6,3 x 15









Door opening or closing fitting series

Door Gas Lift Fit - To Out Direction

Gas Spring - Cabinet Support
Material: Painted Steel
Finish: Silver







Ref.	Strenght
YIL2577	40N
YIL2045	60N
YIL2046	80N
YIL2047	100N
YIL2048	120N
YIL2049	150N

HINGE LOW (C=0)			
Angle	H	L	A
75º	246mm	100mm	25mm
90º	241mm	90mm	25mm
110º	236mm	80mm	25mm


HINGE HIGH (C=9)			
Angle	H	L	A
75º	253mm	100mm	25mm
90º	248mm	90mm	25mm
110º	243mm	80mm	25mm

HINGE SUPER HIGH (C=015)			
Angle	H	L	A
75º	260mm	100mm	45mm
90º	255mm	90mm	45mm
110º	250mm	80mm	45mm


Door Gas Lift Fit - To In Direction

Gas Spring - Cabinet Support
Material: Painted Steel
Finish: Silver





Ref.	Strenght
YIL2050	80N
YIL2051	100N



A	H	L
75º	272mm	105mm
90º	251mm	90mm
110º	223mm	80mm

Tip-on Device


Replaces the use of furniture handles
Push to Open system
Material: Plastic
Available in colors: Gray or White



YIL0569



YIL1149




Locks and Casters

Furniture Lock with knocker and fixed key

Available in 22mm or 31mm.
Includes: lock, metal knocker and two fixed keys.






Ref.	Size
YIL3282	22mm
YIL3283	31mm

Description: Furniture Lock
Size: Ø16 x L22mm; Ø16 x 31mm
Material: steel
Color: nickel

Furniture Lock with knocker and flexible key

Available in 22mm or 31mm.
Includes: lock, metal knocker and two flexible keys.





Ref.	Size
YIL3284	22mm
YIL3285	31mm

Description: Furniture Lock
Size: Ø16 x L22mm; Ø16 x 31mm
Material: steel
Color: nickel

Transparent PU Caster - with break

Estructure material: Chromed Steel
Wheel material: AS + PU
With break




Ref.	Wheel Ø	Total size
YIL3296	35mm	75x40x50mm
YIL3297	50mm	75x40x65mm
YIL3298	75mm	110x60x95mm
YIL3299	100mm	120x60x120mm

Transparent PU Caster - without break

Estructure material: Chromed Steel
Wheel material: AS + PU
Without break



Ref.	Wheel Ø	Total size
YIL3300	35mm	45x55x50mm
YIL3301	50mm	45x55x63mm
YIL3302	75mm	60x100x95mm
YIL3303	100mm	60x120x125mm




Handle series
Stainless Steel

Round Rod Handle Ø 10mm

Material: Stainless Steel
Finish: Polished or Brushed
Diameter: 10mm


POLISHED Ref.	BRUSHED Ref.	Between Holes	Lenght
YIL1208	YIL1209	64mm	100mm
YIL1210	YIL1211	96mm	150mm
YIL1212	YIL1213	128mm	200mm
YIL1214	YIL1215	160mm	250mm
YIL1234	YIL1235	192mm	300mm
YIL1236	YIL1237	256mm	400mm
YIL1238	YIL1239	384mm	600mm
YIL1240	YIL1241	448mm	700mm
YIL1242	YIL1243	512mm	800mm



Round Rod Handle - Ø 12mm

Material: Stainless Steel
Finish: Polished or Brushed
Diameter: 12mm

POLISHED Ref.	BRUSHED Ref.	Between Holes	Lenght
YIL1244	YIL1245	64mm	100mm
YIL1247	YIL1248	96mm	150mm
YIL1249	YIL1251	128mm	200mm
YIL1252	YIL1253	160mm	250mm
YIL1256	YIL1262	192mm	300mm
YIL1319	YIL1327	224mm	350mm
YIL1328	YIL1329	256mm	400mm
YIL1330	YIL1331	288mm	450mm
YIL1332	YIL1333	320mm	500mm
YIL1334	YIL1335	384mm	600mm
YIL1338	YIL1340	448mm	700mm
YIL1349	YIL1350	512mm	800mm





Squared Rod Handle - 10 x 10mm

Material: Stainless Steel
Finish: Polished or Brushed
Dimensions: 10x10mm

POLISHED Ref.	BRUSHED Ref.	Between Holes	Lenght
YIL1609	YIL1616	64mm	100mm
YIL1617	YIL1618	96mm	150mm
YIL1619	YIL1620	128mm	200mm
YIL1621	YIL1622	160mm	250mm
YIL1623	YIL1624	192mm	300mm
YIL1625	YIL1626	224mm	350mm
YIL1627	YIL1628	256mm	400mm
YIL1629	YIL1630	288mm	450mm
YIL1631	YIL1632	320mm	500mm
YIL1633	YIL1634	384mm	600mm
YIL1635	YIL1636	448mm	700mm
YIL1637	YIL1638	512mm	800mm



Furniture Leg Fitting series

Conic Leg S005 - Steel

Chrome



Ref.	Height
YIL0053	100mm
YIL0251	150mm
YIL0252	200mm

Matt White



Ref.	Height
YIL0410	100mm
YIL0412	150mm
YIL0414	200mm

Matt Black



Ref.	Height
YIL0409	100mm
YIL0411	150mm
YIL0413	200mm

Round Leg S007 - Steel

Chrome



Ref.	Height
YIL0443	100mm
YIL0444	150mm
YIL0675	200mm

Matt White



Ref.	Height
YIL0447	100mm
YIL0448	150mm
YIL0677	200mm

Matt Black



Ref.	Height
YIL0445	100mm
YIL0446	150mm
YIL0676	200mm


Squared Leg S009 - Steel

Chrome



Ref.	Height
YIL0557	100mm
YIL0558	150mm
YIL0678	200mm

Matt White



Ref.	Height
YIL0561	100mm
YIL0562	150mm
YIL0680	200mm

Matt Black



Ref.	Height
YIL0559	100mm
YIL0560	150mm
YIL0679	200mm

Round Leg I007 - Stainless Steel

Polished



Ref.	Height
YIL1351	100mm
YIL1371	130mm
YIL1373	200mm

Brushed



Ref.	Height
YIL1367	100mm
YIL1372	130mm
YIL1374	200mm

Squared Leg I009 - Stainless Steel

Polished



Ref.	Height
YIL1382	100mm
YIL1384	130mm
YIL1386	200mm

Brushed



Ref.	Height
YIL1383	100mm
YIL1385	130mm
YIL1387	200mm

Round Leg I 15-072 - Stainless Steel

Polished



Ref.	Height
YIL1388	100mm
YIL1390	130mm
YIL1396	200mm

Brushed



Ref.	Height
YIL1389	100mm
YIL1391	130mm
YIL1397	200mm



Power Conector series

Power Conector

Key Features:


- 110-220V x 16A;
- Maximum Power 3500W;
- 1,8m cable;
- Three plug-in.

Benefits:

- Easy instalation;
- High Quality;
- Push to open system;
- Discreet chrome finishing.

Standard hole Ø60mm







Can be installed in kitchens, offices, meeting tables, and anywhere else that needs access to multiple outlets with order, simplicity and good taste.

Ref.: YIL1615


Power Conector USB

Key Features:

- 2 USB chargers:
Output 5V - 2,1A (1,05A x 2);
- Standard hole Ø60mm;
- 110-220V x 16A;
- Maximum Power 3500W;
- 1,8m cable;
- Two plug-in.

Benefits:

- Easy instalation;
- High Quality;
- Push to open system;
- Discreet chrome finishing.



Now with USB charger!

Use it to charge your smartphone, mp3, iPhone and any other eletronic device!




Ref.: YIL3025



Door Handle series Stainless Steel

Cleaveland

Material: Stainless Steel 304
Finishing: Satiny with polished details






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0753	300mm	180mm	Ø25mm
YIL0754	450mm	275mm	Ø25mm
YIL0755	600mm	300mm	Ø32mm
YIL0756	800mm	500mm	Ø38mm
YIL0757	1000mm	600mm	Ø38mm
YIL0758	1200mm	800mm	Ø38mm
YIL0759	1500mm	1000mm	Ø38mm

Dallas

Material: Stainless Steel 304
Finishing: Satiny with polished details






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0778	300mm	180mm	Ø25mm
YIL0779	450mm	275mm	Ø32mm
YIL0780	600mm	425mm	Ø32mm
YIL0781	800mm	500mm	Ø38mm
YIL0782	1000mm	600mm	Ø38mm
YIL0783	1200mm	800mm	Ø38mm
YIL0784	1500mm	1000mm	Ø38mm
YIL0785	1800mm	1500mm	Ø38mm

Boston

Material: Stainless Steel 304
Finishing: Polished with wood handle







Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0792	450mm	275mm	Ø25mm
YIL0793	600mm	425mm	Ø32mm
YIL0794	800mm	500mm	Ø32mm

Denver

Material: Stainless Steel 304
Finishing: Satiny with polished details







Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0760	450mm	275mm	Ø32mm
YIL0761	1000mm	600mm	Ø38mm

Miami

Material: Stainless Steel 304
Finishing: Satiny with polished details






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0774	450mm	200mm	Ø32mm

Memphis

Material: Stainless Steel 304
Finishing: Satiny with polished details






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0775	450mm	200mm	Ø32mm
YIL0776	600mm	250mm	Ø38mm
YIL0777	1000mm	600mm	Ø38mm

Columbus

Material: Stainless Steel 304
Finishing: Satiny with polished details






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0762	1000mm	800mm	Ø38mm

Seattle

Material: Stainless Steel 304
Finishing: Satiny






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0786	600mm	300mm	Ø32mm

Indianapolis

Material: Stainless Steel 304
Finishing: Satiny






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0765	300mm	287mm	25x13mm
YIL0766	450mm	435mm	30x15mm
YIL0767	1000mm	975mm	38x25mm
YIL0768	1200mm	1175mm	38x25mm

Las Vegas

Material: Stainless Steel 304
Finishing: Polished






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL1154	300mm	180mm	46x17mm
YIL1155	450mm	275mm	46x17mm
YIL1156	600mm	300mm	46x17mm

Atlanta

Material: Stainless Steel 304
Finishing: Satiny with polished details







Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0789	450mm	275mm	40x25mm
YIL0790	800mm	500mm	40x25mm
YIL0791	1000mm	600mm	40x25mm

Detroit

Material: Stainless Steel 304
Finishing: Satiny






Ref.	Length (A)	Between Holes (B)	Tubes (C)
YIL0769	300mm	275mm	Ø25mm
YIL0770	450mm	418mm	Ø32mm
YIL0771	600mm	568mm	Ø32mm










Grab Bar series

Mobile grab with grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1132	600mm
YIL1133	800mm

Triple set grab with grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1130	600mm
YIL1131	800mm

Double set grab with grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1134	800mm

'L' grab with grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1135	600mm
YIL1136	800mm

'L' grab no grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1171	600mm
YIL1172	800mm

Straight grab with grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1139	300mm
YIL1140	400mm
YIL1141	600mm
YIL1142	800mm
YIL1143	1000mm

Straight grab no grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1144	300mm
YIL1145	400mm
YIL1146	600mm
YIL1147	800mm
YIL1148	1000mm

Angle grab with grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1137	500x500mm

Angle grab no grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1138	500x500mm

Articulated bath bench no grip

Material: Stainless Steel 304
Support weight: 150kg
Tube diameter: Ø32mm
Stainless steel screws



Ref.	Length
YIL1157	700x350mm

YINCHUAN INTERGLOBAL CO. LTD.

Room A, 11/F
Ho Lee Commercial Building
38-44 D'Aguilar Street Central
Hong Kong
Phone: +852 2956 3333
Mobile: 13537239973
Website: http://www.interglobal.cn
E-mail: salesmanager@interglobal.cn

Interglobal

FURNITURE HARDWARE

www.interglobal.cn